Molteni & C

GLISS MASTER — VINCENT VAN DUYSEN 2015



The Gliss Master wardrobe collection is an ecosystem. Actually, it is the ecosystem designed by architect Vincent Van Duysen, which redefines the concept of custom wardrobe. Patented technology, elegant finishes, innovation and exceptional customisation options define excellent project function and flexibility features, without renouncing the aesthetic values of design.

DATASHEET

REGISTERED DESIGN

IX.2021

1—

Molteni & C

2— 57

FINISHES

Finishes	melamine piqu structure mel	ué fine grair amine	melamine front	matt lacquer	glossy lacquer	glaze	woods	coloured glass/	pewter colour/	Eco Skin	transparent	net glass
components	(XQ	1)		colours	colours			etched coloured glass/ mirror	bronze		glass/ transparent stopsol/ stopsol	

linear module and comer module	base/lid								
and corner module	back panel							only linear	only linear
wooden central pa	artition								
wooden external s	side panel								
extension profile									
central partition or side panel	frame								
frame or glass	glass							central only transparent	only side panel
FIND-ME door	finger recess								
	panel								
QUICK door			*						
START / TWIN do	or				only hinged door				
"A FILO" door			excluding tatam and chestnut		only hinged door				
"A FILO" glass door	profile								
	glass								
BAMB00 door	profile								
	panel								
HOLLOW door					only hinged door				
BLADE sliding do	or								
GRIP door									
NICHE door						only vertical			
GLASS door	profile								
	glass								
SISTEMA 7 wood									
SISTEMA 7 glass	profile								
	glass								
SWING door									
WINDOW door	profile								
	glass								
SKIN door	profile								
	panel								

* only ivory talami, grey talami, light chestnut and dark chestnut with handle and extension profiles side matched as per the table (see p. 58 price list Nigh Systems-Sleeping)

DATASHEET

REGISTERED DESIGN

FINISHES

Finishes		melamine structure	piqué melamine (XQ)	melamine structure pewter colour/ bronze profile	fine grain pewter colour/ bronze profile	transparent glass	pewter colour/ bronze	grey saffiano melamine	larix dark/ silver cembran/ light chestnut and dark	matt lacquer colours		
internal fittings									chestnut			
shelf												
wooden drawer fronts H 1	126/190/382											
tray front (trouser holders/t	rinket trays)											
front for open drawers / p	ull-out trays											
glass drawer fronts/	profile											
glass shelf	glass											
drawer internal												
dividing partitions - grid with	shirt/sweater holders											
island drawer unit												
drawer unit												
Island with glass top												

Molteni & C

3-

57

colours

Melamine structure YM larix dark YA silver cembran WW white QC light chestnut QS dark chestnut QA ivory tatami QG grey tatami **Melamine front** KA cartapaglia anthracite KB cartapaglia white KS cartapaglia silica

ZB silk chalk white
ZS silk silica
ZT silk dove grey
QC light chestnut
QS dark chestnut
QA ivory tatami QG grey tatami

BC chalk white PE pearl DN dune PL platinum NE black AT anthracite SE mustard SI silica DO dolomite grey AL clay MK moka CZ light blue grey SA sand RU ruby PX pewter colour RX copper TO dove grey PR petroleum blue BG burgundy LS london sky

SU stardust ML moonlight

SP spice

Matt lacquer

lacquer BC chalk white PE pearl DN dune PL platinum NE black AT anthracite SE mustard SI silica DO dolomite grey AL clay MK moka CZ light blue grey SA sand RU ruby PX pewter colour RX copper TO dove grey PR petroleum blue BG burgundy LS london sky SU stardust ML moonlight

Glossy

glass BC chalk white glass BC chalk white PE pearl PE pearl DN dune DN dune PL platinum NE black PL platinum NE black AT anthracite SE mustard AT anthracite SE mustard SI silica SI silica DO dolomite grey DO dolomite grey AL clay MK moka AL clay MK moka CZ light blue grey SA sand RU ruby PX pewter colour CZ light blue grey SA sand RU ruby PX pewter colour RX copper TO dove grey RX copper TO dove grey PR netroleum blue PR petroleum blue BG burgundy BG burgundy LS london sky SU stardust LS london sky SU stardust ML moonlight ML moonlight SP spice

Coloured

Woods EU eucalyptus RG grey oak RF graphite oak

Etched coloured

Eco Skin grey mink hemp ivory dark brown earth arctic taupe

DATASHEET

REGISTERED DESIGN

MODULARITY

Modularity - Structure

The widths 492 - 656 - 820 - 984 - 1312 - 464 (term. element) mm (19 3/8" - 25 7/8" -

32 1/4" - 38 3/4" - 51 5/8" - 18 1/4") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8").

Heights: tot. H 2343 (92 1/4"), door 2313 (91"), int.2253 (873/4"), sliding or flush sl. door inter. 2163 (85 1/8")

tot. H 2439 (96"), door 2409 (94 7/8"), int. 2349 (92 1/2"), sliding or flush sl. door inter. 2259 (88 7/8")

tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2541 (100"), sliding or flush sl. door inter. 2451 (96 1/2")

tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2829 (111 3/8"), only hinged

Assembly instructions

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 6 cm (2 3/8") is required considering the minimum height of the compartment. Assembly of the corner element (for wardrobe with doors) requires a minimum extra height of 6 cm (2 3/8").


Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8").

For hinged door wardrobes with lighting systems and/or SISTEMA 7 doors this product requires a minimum height of 5 cm (2").

Molteni & C



57



16/0 78 5/8" —									
820 32 1/4"									
656 25 7/8"									

2162 85 1/8" —										
984 38 3/4"		656 25 7/8"	492 19 3/8"							
820 32 1/4"		820 32 1/4"	492 19 3/8"							



2326 91 5/8" —									
1312 51 5/8"		98	4 38 3/4"						
820 32 1/4"	820 32 1	/4"	656 25 7/8"						

1998 78 5/8"										
984 38 3/4"	984 38 3/4"									
1312 51 5/8"	656 25 7/8"									

820 32 1/4

2490 98″										
	984 38 3/4"	492 19 3/8"								
1312 51 5/8"			492 19 3/8"							
820 32 1	/4"	82	20 32 1/4"							
		984 38 3/4"	984 38 3/4" 656 25 ⁷ /8"							



656 25 7/8"	984 38 3/4"	49	92 19 3/8"	656 25 7/8"							
984 38 3/4"	820 32 1/4"		984 38 3/4"								
2002 447 3/4"											

2818 111



	— 3310 130 3/s" —										
820 32 1/4"		820 32 1/4"		20 32 1/4"	820 32 1/4"						
656 25 7/8"		1312 51 5/8"			1312 51 ⁵ /8"						

3474 136 3/4"										
984 38 3/4"	492 19 3/8"		984 38 3/4"		984 38 3/4"	I				
1312 51 5/8"			820 32 1/4"		1312 51 5/8"	1				

3638 143 1/4"										
984 38 3/4"	984 38 3/4"			984 38 3/4"	656 25 7/8"					
984 38 3/4"	82	20 32 1/4"		820 32 1/4"	984 38 3/4"					
1312 51 5/8"		1312 5	1 5/8"	984 38 3/4"						

3802 149 3/4" —						
1312 51 5/8" 984 38 3/4" 984 38 3/4" 492 19 3/8"					492 19 3/8"	
656 25 7/8" 1312 51 5/8"			1312 51 5/8"	492 19 3/8"		

3966 156 1/8"					
1312 51 5/8"	131	2 51 5/8"		1312 51 5/8"	
984 38 3/4"	984 38 3/4"	984 38 3/4"		984 38 3/4"	

DATASHEET

REGISTERED DESIGN


GLISS

MASTER— VINCENT VAN DUYSEN

DOORS

START-HOLLOW-TWIN hinged doors


applicable only on structures with wood sides



In the pairs of TWIN hinged doors W 815, 979 and 1307, are availables 2 handles or handle only on right door.


hinged doors applicable only on structures with wood sides

FIND-ME-QUICK-"A FILO"-BAMBOO



WINDOW - SKIN door

GRIP hinged doors applicable only on structures with wood sides




Molteni & C

5-57


NICHE doors applicable only on structures with wood sides

The pairs of hinged doors START

and "A FILO" always have a handle mounted on the right door.



In the pairs of hinged doors W 815, 979 and 1307, are availables 2 handles or handle only on right door.



applicable on all types of structures

The hinged doors WINDOW and SKIN are made with

recessed hinges fixed to base and top, and have a thickness

of 30 mm

GLASS-SWING-SISTEMA 7 doors, th35 applicable on all types of structures



GLASS-SWING doors are made with 180° hinges built into the side (a Molteni exclusive)


Sliding doors





It is possible to make sliding door wardrobes with doors of the following types:

- QUICK
- START
- "A FILO" - GRIP
- BLADE

It is possible to make the external sliding door with two handles if using the QUICK, "A FILO" or BLADE door (full-height handle) and applying the surcharge









Detail of side panel with extension profile


with BLADE door




Flush sliding doors









DATASHEET

REGISTERED DESIGN


DOORS

155° opening (only for compartments with wooden sides)


On FIND-ME - QUICK - START - TWIN - "A FILO" - BAMBOO - HOLLOW - GRIP - NICHE doors it is also possible to use 155° opening hinges, with an extra charge per individual door. In this case, it is necessary to take special care in inserting internal drawer units, trinket trays and devices.

It is also necessary to comply with the diagrams provided here.

Molteni & C



6—




Hinged doors with key lock

For the hinged doors specified, a key lock can be fitted to order. There is a additional cost for one or two doors.

It can even be fitted on a terminal element or a corner element (in compliance with the handle installation rules).

For doors with a lock, the internal drawer units must be suspended.

Installation of only the lock can be requested, without a handle, always considering the price of the START doors and the additional cost of the lock.



DATASHEET

REGISTERED DESIGN

GLISS MASTER-VINCENT

VINCENT VAN DUYSEN 2015

SISTEMA 7

A new folding opening system with a patented mechanism which makes it possible, in the 180° version, to open the unit entirely.

The mechanism, light and silent, does not require tracks and therefore allows use of the full height.

The hinged doors enable 180° opening and wardrobe width made to order; the special hinge pins are anchored to the base and the cover.

Anyhow, SISTEMA 7 hinge doors can be used.

The 90° opening, on the other hand, is an intermediate solution that can solve design problems while maintaining a uniform design.

The thickness of the wood and glass door are 35 mm.

SISTEMA 7 can be applied to all Gliss Master structures with wood, glass or frame sides, but cannot be used with other Gliss Master doors.

The 90° and 180° folding door is applied to modules with width 790 and 954, while the hinged door is applied to single modules 380/462/626, double modules 790/954/1282 and the corner unit.

The 380 mm unit is specific for SISTEMA 7 with hinged door.

Reductions

90° and 180° folding openings can be reduced in height only. 180° hinged openings can be reduced in height and in width up to 405 mm.

Notes

The side panels follow the same logic as Gliss Master (see drawing •).


Molteni & C


7—

57

★ = 180° Hinged (necessary for 180° opening and for wardrobes with width made to order)


90° Folding opening







If the 90° folding door is on an end unit with external door, provide filler: 50 mm (790 compartment) 120 mm (954 compartment)


180° Folding opening






Mixed 90°/180° Folding openings






180° Corner opening


wooden side panels



side panels







DATASHEET

REGISTERED DESIGN

CORNER ELEMENT

Corner element D 595 - open or with GLASS/SWING/SISTEMA 7 doors

The corner element is supplied complete with base, top and backs (melamine faced structure, piqué or fine grain). Between the corner element and the adjacent modules, the central partitions in melamine, frame or glass must be inserted.

The corner element can also receive a side panel to close the composition. Compartments adjacent to the closed corner element can be open or closed with GLASS, SWING or SISTEMA 7 (folding and hinged) doors.

Notes

The shelf is not included in the price of the corner element. Shelves and lids can be fitted with LED lighting bars, as indicated in the drawing below.

Reductions

The corner element can be reduced in height, width and depth.


In width, the reduction can be carried out either on one side only or on both sides, up to a minimum width of 1101 mm.


Reduction in depth can be done on one or on two sides, up to a minimum of 435 mm. If only one side is reduced, that will be the side with the longest shelves (*).




Molteni & C

8—







The corner element can be fitted with shelves and clothes rails, or with this solution of drawer units that have a central partition H 1158 where the desired drawer unit can be inserted. The drawer unit can be with fronts W 420 or 584.








Solutions with SISTEMA 7 (only for corner unit 1101x1101)





No type of drawer unit can be inserted with frame or glass sides

DATASHEET

REGISTERED DESIGN

STRUCTURE

Structure for walk-in closet

In version ${\bf A}$, the structure (base, lid, central partitions, back and side panels) is in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain finish or in glass.

The side panels are always provided without extension profile (see detail).

In version B, the central partitions and sides are made with an aluminium frame with pewter colour or bronze finish, with or without glass.

Base, lid and back piece are in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain or glass finish. Horizontal tags on the base and lid are made in a pewter colour or bronze finish like the

In version C, given the presence of frame sides in pewter colour finish, the central and side partitions in melamine are also made with from tags in pewter colour or bronze.


Notes

The central melamine sides with front profile, frame and glass are available with an Eco Skin insert, only for use in walk-in closets.

Molteni & C

9-





DATASHEET

REGISTERED DESIGN

GLISS MASTER-

VINCENT VAN DUYSEN 2015

STRUCTURE

Linear modules

Linear modules are made up of a base and lid always made in melamine in the same finish as the structure

as the structure.

The back is available in the three versions indicated below.

A1 and A2 can be reduced in height, width and depth if closed by sides and doors that are compatible with the requested reductions. **A3** can be reduced only in height.

Central partitionsThese are available in melamine, in the same finishes as the structure, frame and glass. The melamine version can be reduced in height and depth.

The frame and glass versions can be reduced only in height. Compartments with frame or glass sides must always include a shelf or a drawer unit.

A version with an Eco Skin insert is available for use in walk-in closets.

Side panels

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The side exterior is available also in matt lacquer, glossy lacquer or wood finish (vertical grain).

The standard finish on side panels is an extension profile in the coloured matt lacquer, glossy lacquer or wood side panels always match the Side panels of the same finish.

The frame and glass versions can be reduced only in height.


Compartments with frame or glass sides must always include a shelf or a drawer unit.

Molteni & C

10-


57

A1 - Melamine back



Base, lid and back made in melamine finish matching the structure. The back is available also in piqué


A2 - Fine grain back



Base and lid made in melamine finish matching the structure. Back with fine grain finish

A3 - Glass back

(only hinged GLASS, WINDOW closet and SISTEMA 7 glass)




A3
Base and lid made in melamine finish matching the structure.
It is possible to produce single finished modules W 790/954 with lateral pieces in glass by using the glass lids

Central partitions, th 30

Warning:

frame sides and glass sides will only have holes at the position of the shelves. Complete hole series at regular intervals 96 mm will involve an extra charge of per side.

Side panels, th 30



DATASHEET

REGISTERED DESIGN

TWO-SIDED CORNER WARDROBE COMPOSITIONS WITH OUTWARD SWING DOORS

Many of the solutions described below can be created with Gliss Master.


These layouts can be installed either with or without the external corner module.

** For this side, please consider the wooden side panel surcharge.


Molteni & C

11— 57


Solution A: Outward swing doors (NO glass back panels)




Solution B: Outward swing door + Walk-in Closet (NO glass back panels)



Solution C: Outward swing door + Inward swing door (example with glass back panels)



Solution D: Outward swing door + Inward swing door (example with rear finishing panel)



* This compartment can be closed with a QUICK, "A FILO" and NICHE door (vertical and horizontal). For glass backs, drawer units are mandatory for compartments with frame or glass sides. For melamine structure, piqué or fine grain backs, use drawer units that are narrower than the module.

DATASHEET

REGISTERED DESIGN

IX.2021

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

EXTERNAL CORNER UNIT

External corner unit

- It can be either open or fitted with doors.
- It is always secured to the melamne central partitions of the adjacent wardrobes.
- The front profile can have a matt lacquered, pewter colour and bronze finish.
- Height, width and depth can be reduced.
- The external corner unit can be closed in all hinged door models.

Reductions


The external corner unit can be reduced in height, width and depth.

* For this side, please consider the wooden central partition surcharge.


Molteni & C

12-

57




Solution A: with Doors




Solution B: Walk-in Closet



Solution C: Doors and Walk-in Closet



Solution D:



DATASHEET

REGISTERED DESIGN

Molteni & C

13-

57

WARDROBE REDUCTIONS

Structure reductions

Type of reduction	height width		depth		
Linear modules D 595 mm melamine back or fine grain back	per millimetre	per millimetre	min -20 mm max -256 wardrobe / flush sliding ward. max -160 mm		
Linear modules D 595 mm glass back	per millimetre	no reductions	no reductions		
Linear elements D 435 mm	per millimetre	per millimetre	min -20 mm max -96 mm		
Corner element for wardrobe with doors	per millimetre	no reductions	no reductions		
Corner element open or for GLASS/SWING doors	per millimetre	1 side up to 1101 x 1282	1 side up to mm 435		
	per minimetre	2 sides up to 1101 x 1101	2 sides up to mm 435		
Terminal element	per millimetre	no reductions	no reductions		
Wooden central partition or side panel	per millimetre		reductions depend on linear modules		
Frame or glass side panel or central partition	per millimetre		no reductions		
External corner unit	per millimetre	up to mm 435	up to mm 435		

The retailer should remember to verify the stability of wardrobes having a depth inferior to 595 mm and arrange to have anti-tilt devices mounted if necessary.

Door reductions

Type of reduction height width Wooden hinged doors (FIND-ME-QUICK-START-TWIN-"A FILO"-HOLLOW-GRIP-NICHE) per millimetre per millimetre "A FILO" glass hinged doors per millimetre per millimetre Wooden sliding doors (QUICK - START - "A FILO" - BLADE - GRIP) per millimetre ONLY doors W 979 and 1307 mm - reducible down to W 815 mm "A FILO" glass sliding doors per millimetre no reductions Wooden flush sliding doors (QUICK - START - TWIN - "A FILO" - HOLLOW - GRIP) per millimetre no reductions Flush sliding doors W 1471 mm cannot be reduced. per millimetre no reductions "A FILO" glass flush sliding doors no reductions SKIN doors no reductions WINDOW / GLASS / SWING doors per millimetre reducible down to W 405 mm SISTEMA 7 wood hinged door reducible down to W 405 mm per millimetre SISTEMA 7 wood folding door no reductions per millimetre SISTEMA 7 glass hinged door reducible down to W 405 mm per millimetre SISTEMA 7 glass folding door per millimetre no reductions BAMBOO hinged doors per millimetre at -15 mm intervals

Reductions of internal fittings

Type of reduction	height	width	depth
Wood shelves		per millimetre	reductions depend on linear modules
Shelves with pewter colour profile		per millimetre	reductions depend on linear modules
Eco Skin shelves		per millimetre	reductions depend on linear modules
Glass shelves		per millimetre	reductions depend on linear modules
Clothes rails		per millimetre	
Central divider pieces	32 mm intervals		reductions depend on linear modules
Internal drawers / trinket trays, trouser holders and pull-out trays / grid with shirt and sweater holders / shoe rack shelves /pull-out shirt holders / lighting shelves / islands / movable trays	no reductions	no reductions	no reductions

 $[\]ensuremath{^{\star}}$ If the corner shelves are reduced on two sides, consider double the cost.

Lighting bars can be reduced with a surcharge included in the fee for cutting the shelf.

DATASHEET

REGISTERED DESIGN


IX.2021

moltenigroup.com

SPECIAL PROCESSING - INSPECTIONS

Inspection on lid with removable panel for 626/790/954/1282 compartments (only on hinged door compartment)

LED lights can also be fitted on the top.
Only for compartments with melamine sides.
Removable 10 th. panel melamine finished structure




Molteni & C

14-

57


Inspection on base with removable panel for 626/790/954/1282 compartments (only on hinged door compartment)

Only for compartments with melamine sides. Removable 10 th. panel melamine finished structure




PAISPBA1


PAISPC01



Inspection on side panel with removable panel

Removable 10 th. panel melamine finished structure. Only one inspection possible per side panel.






DATASHEET

REGISTERED DESIGN

REMOVABLE BACK PANEL




The removable back is made by dividing the back panel's structure, and adding two fixed shelves or 1 if starting from the base or top

Molteni & C







Type 1

Type 1

- Back cut

W 1282

- Additional back panel at fixed price
- Removable panel H max 1698 mm W 462/626 W 790/954


Type 2

- Back cut
- Removable panel H max 1734 mm W 462/626 W 790/954 W 1282

DATASHEET


REGISTERED DESIGN

SPECIAL PROCESSING - SHAPING



Molteni & C

16—



Notes

- Shaping in both height and width cannot be done on the same compartment.
- Confirmation to the customer of the feasibility of shaping will only be given after checking with the Molteni&C Technical Office.

Only on hinged door compartment

Costs to consider:

- Back cut
- Lid cu
- Fixed shelf with surcharge for cut (see page 114 of the price list for solid wood shelves)
- Back, fixed price

Costs to consider:

- Back cut
- Base/lid/shelf in solid wood 2 cuts per shaped piece
- 2 additional panels
- Possible cut in side

CUSTOM CUTS FOR ATTICS


Doors with slanting cut (only for wardrobes with solid wood sides)

When preparing the order, indicate heights H1 and H2, as well as the width \dot{L} , as shown in the example.


The price for the slanting cut for each door is the same as cutting for a hinged door, as shown in the doors pages.


In this case a single module must be used with a QUICK, START, TWIN, "A FILO", HOLLOW and GRIP hinged door, with the melamine facade and matt lacquered finishes, hinged on the higher side.

The structures can be standard or made to size.



Double compartments with hinged doors can be used for this solution.





DATASHEET

REGISTERED DESIGN

IX.2021

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GLASS TOP FOR WARDROBES FINISHED WITH ONLY ONE COMPARTMENT W 790/954

- To use only with: single linear module W 790 / W 954 (no modular arrangement is possible)
- only with glass lateral pieces and glass back panel clothes rod cannot be mounted on the lid cannot be used with SISTEMA 7 doors

Glass finish

transparent glass transparent stopsol glass stopsol glass

Profile finish

pewter colour bronze

Molteni & C

17-

57

Increase valid for depths $595\,$ - 23 $^{3/8}"$



W 790 - 31 1/8"

W 954 - 37 1/2"

DATASHEET

REGISTERED DESIGN

FIND-ME door th 25

Door with full height vertical finger recess included in the door thickness. The door is available in a hinged version in wood.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

Notes

With the fronts in glaze finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with finger recess and extension profiles in pewter colour or bronze.


Molteni & C

FIND-ME wooden door

matt lacquer colours glossy lacquer colours vertical grain wood glaze

18-

57



finishes

	matt lacquer colours	vertical grain wood	glossy lacquer colours	glaze
hinged doors				
width 487 (19 1/8")				
w. 651 (25 5/8")/608 (23 7/8")				
width 815 (32 1/8")				
width 979 (38 1/2")				
width 1307 (51 1/2")				
door for terminal element				

DATASHEET

REGISTERED DESIGN

QUICK door th 25

Door with full height handle included in the door thickness. The door is available only in the tatami melamine and chestnut versions with matching powder coated handle, as per the table.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

Notes

Sliding doors and flush sliding doors are not available in H 2889.


With QUICK fronts in tatami melamine finish, it is advisable to make the structure and side panels in the same finish as the doors.

Side extension profiles are made in the same finish as the handle.

QUICK door ivory tatami melamine grey tatami melamine light chestnut melamine dark chestnut melamine

Molteni & C

19-57



FINISHES TO MATCH THE QUICK DOOR						
DOOR PANEL	PROFILE HANDLE/ DOOR EXTENSION	EXTENSION PROFILE SIDE PANEL				
lvory Tatami	RAL7032	RAL7032				
Grey Tatami	RAL7039	RAL7039				
Light Chestnut	Bronze epoxy finish	Bronze epoxy finish				
Dark Chestnut	Pewter colour epoxy finish	Pewter colour epoxy finish				

hinged doors

width 487 (19 ¹ /8")	
w. 651 (25 5/8")/608 (23 7/8")	
width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	
door for terminal element	

sliding doors

width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	

flush sliding doors

width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	

DATASHEET

REGISTERED DESIGN

START door th 25

Door with handles mounted on the front.

All the hinged doors have cushion-closing hinges.
The sliding door have a shock absorber mechanism which allows them to open and close softly.

Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

Handles

Type "E" Type "M"

Type "CV" ONLY for hinged opening

Notes

Sliding doors and flush sliding doors are not available in H 2889.


With the fronts in melamine front finish and glaze, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with handle and extension profiles in pewter colour or

Molteni & C

20-

57



Type "CV" standard ONLY for hinged opening Finish pewter colour bronze

tinisnes				
melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours	glaze
)				
				·
•				
	melamine	melamine matt lacquer front colours	melamine matt lacquer vertical grain front colours wood	melamine matt lacquer vertical grain glossy lacquer front colours wood colours

DATASHEET

REGISTERED DESIGN

TWIN door th 25

Door with pewter colour or bronze finish handle mounted on the front.

All the hinged doors have cushion-closing hinges. The sliding door have a shock absorber mechanism which allows them to open and close softly.

Hinges with 155° opening can be used and a key lock can be installed on

hinged doors.

Notes

Flush sliding doors are not available in H 2889.

With the fronts in melamine front finish and glaze, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with handle and extension profiles in pewter colour or bronze.


Molteni & C

21-57

TWIN door

melamine cartapaglia melamine tatami melamine silk chestnut melamine matt lacquer colours glaze glossy lacquer colours vertical grain wood

Handle finish pewter colour bronze



finishes

	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours	glaze
hinged doors					
width 487 (19 1/8")					
w. 651 (25 5/8")/608 (23 7/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
flush sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

DATASHEET

REGISTERED DESIGN

"A FILO" door th 25

Door with full-height handle included in the thickness of the door. The door is available in the versions wood and glass.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. Hinges with 155° opening can be used and a key lock can be installed on hinged doors.

Sliding doors and flush sliding doors are not available in H 2889. Glass hinged doors are not available in H 2889. Flush sliding glass doors cannot be used in compositions with 3 doors.

With the fronts in melamine cartapaglia, silk and glaze, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer with "a filo" handle (full height) and extension profiles in pewter colour or bronze.

Molteni & C

22-

57

"A FILO" wooden door


melamine cartapaglia melamine silk matt lacquer colours glossy lacquer colours vertical grain wood glaze

"A FILO" glass door

coloured etched coloured mirror

Profile and "a filo" handle: pewter colour bronze







melamine front	matt lacquer colours
* excluding tatami	

finishes

vertical grain glossy lacquer colouerd glass/ glaze

	front	colours	wood	colours	etched coloured glass/ mirror	J
hinged doors	* excluding tatami and chestnut				yldss/ IIIII101	
width 487 (19 1/8")						
w. 651 (25 5/8")/608 (23 7/8")						
width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 ¹ /2")						
door for terminal element						
sliding doors		•	•			
width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
width 1471 (57 7/8")						
flush sliding doors						
width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
width 1471 (57 7/8")						

DATASHEET

REGISTERED DESIGN

BAMBOO door th 25

Door covered in quilted Eco Skin in the colours of the Molteni range, characterized by a full-height handle recessed in the thickness of the door and by a perimeter profile that defines its contour.

With fronts in Eco Skin finish, the outside of the side panel can be made with matt lacquer finish or in melamine in the same finish as the inside structure.

All the hinged doors have cushion-closing hinges. **Hinges with 155° opening can be used.**

BAMBOO door

Handle and perimeter profiles: pewter colour bronze

Panels covered in Eco Skin in the colours: grey mink hemp ivory dark brown earth


arctic

taupe

23—

Molteni & C

57



finishes

hinged doors	Eco Skin
width 487 (19 1/8")	
w. 651 (25 5/8")/608 (23 7/8")	
width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	
door for terminal element	

DATASHEET

REGISTERED DESIGN

HOLLOW door th 25

Door characterized by the handle recessed in the thickness of the door.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. **Hinges with 155° opening can be used and a key lock can be installed on hinged doors (see page 41).**

Notes

Flush sliding doors are not available in H 2889.

With the fronts in melamine front finish and glaze, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

To match the glaze finish door, we advise the side exterior finish in dolomite grey matt lacquer and the extension profile in the same finish as the handle (pewter colour or bronze).

Molteni & C


24—

57

HOLLOW door

Panel: melamine cartapaglia melamine tatami melamine silk chestnut melamine matt lacquer colours glaze glossy lacquer colours vertical grain wood

Handle: pewter colour bronze



finishes melamine matt lacquer glaze vertical grain glossy lacquer front colours colours wood hinged doors width 487 (19 1/8") w. 651 (25 5/8")/608 (23 7/8") width 815 (32 1/8") width 979 (38 1/2") width 1307 (51 1/2") door for terminal element flush sliding doors width 815 (32 1/8") width 979 (38 1/2") width 1307 (51 1/2")

DATASHEET

REGISTERED DESIGN

BLADE sliding door th 25

Door with full-height handle.

The sliding system automatically aligns the door as it opens and closes.

Notes


BLADE doors are not available with H 2889.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Molteni & C

BLADE sliding door melamine cartapaglia melamine tatami melamine silk chestnut melamine matt lacquer colours glossy lacquer colours vertical grain wood

25—



	finishes				
sliding doors	melamine front	matt lacquer colours	vertical grain wood	glossy lacquer colours	
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

DATASHEET

REGISTERED DESIGN

GRIP door th 25 DESIGN VINCENT VAN DUYSEN

Door with a handle applied laterally on the edge of the door.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. Hinges with 155° opening can be used on hinged doors.

Sliding doors and flush sliding doors are not available in H 2889. In the pair of hinged doors, the handle is mounted on both doors in the pair.

With the fronts in melamine front finish, the exterior of the side panel can be in matt lacquer or melamine finish like an internal structure.

Handles finishes

pewter colour

bronze

pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)


Molteni & C

26-

57

GRIP door

melamine cartapaglia melamine tatami melamine silk chestnut melamine matt lacquer colours glossy lacquer colours vertical grain wood



finishes melamine

flush sliding doors width 815 (32 1/8") width 979 (38 1/2") width 1307 (51 1/2")

width 1471 (57 7/8")

hinged doors	front	colours	wood	colours
width 487 (19 1/8")				
w. 651 (25 5/8")/608 (23 7/8")				
width 815 (32 1/8")				
width 979 (38 1/2")				
width 1307 (51 1/2")				
door for terminal element				
sliding doors		<u>'</u>		
width 815 (32 1/8")				
width 979 (38 1/2")				
width 1307 (51 1/2")				
width 1471 (57 7/8")				

matt lacquer

vertical grain

glossy lacquer

DATASHEET REGISTERED DESIGN

NICHE door th 25 DESIGN VINCENT VAN DUYSEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.

Handles finishes pewter colour bronze


Hinges with 155° opening can be used on hinged doors.

Molteni & C

NICHE door matt lacquer colours glossy lacquer colours vertical grain wood

27—

57



	finishes			
	matt lacquer colours	vertical grain wood	glossy lacquer colours	
hinged doors				
width 487 (19 1/8")				
width 651 (25 5/8")/608 (23 7/8")				
width 815 (32 1/8")				
width 979 (38 1/2")				
width 1307 (51 1/2")				
door for terminal element				

DATASHEET

REGISTERED DESIGN

NICHE HORIZONTAL door th 25 DESIGN VINCENT VAN DUYSEN

Door with recessed horizontal handle.

Handles finishes pewter colour bronze

All the hinged doors have cushion-closing hinges.


Hinges with 155° opening can be used on hinged doors.

Molteni & C

NICHE horizontal door matt lacquer colours glossy lacquer colours

28-

57



finishes

hinged doors	matt lacquer colours	glossy lacquer colours
width 487 (19 1/8")		
width 651 (25 5/8")/608 (23 7/8")		
width 815 (32 1/8")		
width 979 (38 1/2")		
width 1307 (51 1/2")		
door for terminal element		

DATASHEET

REGISTERED DESIGN

GLASS door, th 35, 180° opening DESIGN VINCENT VAN DUYSEN

Glass door with 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni). A full height handle is designed in the profile.

Integrated lock with coded key

GLASS hinged doors with integrated lock are available, taking into account a surcharge for single door or pair of doors.

As standard, all lockable doors in a wardrobe will have different coded keys. On the pair of doors, the lock will always be applied to the right door. The lock is not applicable to hinged doors of the external corner units.

Notes

The GLASS doors are available with H 2889 only for widths 487, 815, 979 and for the corner unit 1101x1101.

In the pair of hinged doors, the handle is mounted on both doors in the pair.


The GLASS door can also be installed on the open corner module.

Molteni & C

GLASS door

29-

57



finishes transparent glass transparent stopsol glass stopsol glass net glass 180° Hinaed width 487 (19 1/8") w. 651 (25 5/8")/608 (23 7/8") width 815 (32 1/8") width 979 (38 1/2") width 1307 (51 1/2") corner unit 1101x1101 corner unit 1231x1231

DATASHEET

REGISTERED DESIGN

SWING door, th 35, 180° opening DESIGN VINCENT VAN DUYSEN

Matt lacquered door with panel and perimeter profiles with a 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni). A full height handle is designed in the profile.

Notes

SWING doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.


The SWING door can also be installed on the open corner module.

Molteni & C

SWING door

30—

57



DATASHEET

REGISTERED DESIGN

WINDOW door th 30 DESIGN VINCENT VAN DUYSEN

Glass hinged door with pewter colour finished aluminium frame and lateral handle.

The doors are fitted with recessed hinges inserted in the base and top.

WINDOW doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

Handle finishes pewter colour

bronze


pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

WINDOW glass door

31-

57



finishes transparent transparent stopsol stopsol glass glass hinged doors width 487 (19 1/8") width 651 (25 5/8")/608 (23 7/8") width 815 (32 1/8") width 979 (38 1/2") width 1307 (51 1/2") door for terminal element

DATASHEET

REGISTERED DESIGN

SKIN hinged door th 30 DESIGN VINCENT VAN DUYSEN

Eco Skin covered hinged door with pewter colour and bronze finished aluminium frame

The doors are fitted with recessed hinges inserted in the base and top.

The door is always divided into 3 equal parts.

Notes SKIN doors are not available in H 2889.

In the pair of doors, the handle is mounted on both doors in the pair.


pewter colour bronze

provided to the colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

SKIN hinged door

32-57



DATASHEET

REGISTERED DESIGN

SISTEMA 7 wood doors th 35 DESIGN VINCENT VAN DUYSEN

Doors characterised by increased thickness, made in structural honeycombed panels that make the surface perfectly flat.
Patented folding system.

Notes

Doors are not available with H 2889.

All doors are fitted with soft-closing mechanism.

SISTEMA 7 wood doors

matt lacquer colours glossy lacquer colours wood

Molteni & C

33—

57

Handle: matt lacquer colours glossy lacquer colours pewter colour bronze sx-left door hinged side

finishes matt lacquer

corner unit 1101x1101

180° Folding	colours	colours	wood
width 815 (32 1/8")			
width 979 (38 1/2")			
corner unit 1101x1101			
90° Folding			
width 815 (32 1/8")			
width 979 (38 1/2")			
180° Hinged			
width 405 (16")			
width 487 (19 1/8")			
w. 651 (25 5/8")/608 (23 7/8")			
width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

glossy lacquer

vertical grain

DATASHEET

REGISTERED DESIGN

SISTEMA 7 glass doors th 35 DESIGN VINCENT VAN DUYSEN

Glass door with aluminium outer profile, th 35 mm. Patented folding mechanism. All doors are equipped with soft-closing system.

Notes

Doors are not available with H 2889.


Integrated lock with coded key Hinged doors with 180° opening and 90° / 180° folding doors are available with integrated lock, considering a surcharge for single door or pair of doors. As standard, all lockable doors in a wardrobe will have different coded keys. On the pair of hinged doors, the lock will always be applied to the right door. On the 90° / 180° folding doors it will be applied to the upright opposite to the handle (see section).


The lock is not applicable to hinged doors of the external corner units.

Molteni & C

SISTEMA 7 glass doors

34-57





finishes transparent

180° Folding	glass	stopsol glass	glass	glass
width 815 (32 1/8")				
width 979 (38 1/2")				
corner unit 1101x1101				
90° Folding				
width 815 (32 1/8")				
width 979 (38 1/2")				
180° Hinged				
width 405 (16")				
width 487 (19 1/8")				
w. 651 (25 5/8")/608 (23 7/8")				
width 815 (32 1/8")				
width 979 (38 1/2")				
width 1307 (51 1/2")				
corner unit 1101x1101				

transparent

stopsol

net

DATASHEET

REGISTERED DESIGN

SISTEMA 7 doors th 35

With SISTEMA 7 it is possible to create passageway solutions with doors fastened to Gliss Master wardrobe structures.

Gliss Master wardrobe structures.


This type of solution requires the insertion of a lid between the sides of the wardrobes.


It can be opened thanks to a 180° folding door in wood or glass.

NotesDoors are not available with H 2889.

Molteni & C

35— 57





DATASHEET

REGISTERED DESIGN

SPECIAL ELEMENTS

Column with open compartment

- Can be inserted only in wardrobes without doors or with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- The open compartment is always in matt lacquered colours.
- Doors are always without handles because they protrude with respect to the structure.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.
- * The price does not include the central partitions or side panels, nor the internal shelves.

Reductions are allowed only in height, and costs of cutting the structure and doors are applied. Open compartment and lower part cannot be reduced.

Wire passage $\mathbf{EPA1}\ \varnothing\ 60$ chrome on request on back.

Notes


The back of the open compartment cannot hold a mounted TV.

Molteni & C

36-57

Reductions

H 2343 H 2439 H 2631 H 2919 J---- 954/1282 ----J 1443 1155 934/1262 W 954 W 1282 W 1282 W 954 W 1282 W 954 W 1282 MVGC9/23E MVGC13/23E MVGC9/26E MVGC13/26E MVGC9/24E MVGC13/24E MVGC9/29E MVGC13/29E



DATASHEET

REGISTERED DESIGN

IX.2021

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

SPECIAL ELEMENTS

Column with external drawers

- Can be inserted only in wardrobes with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- Pairs of doors always have only one handle mounted on the right door.
 Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

Reductions


Reductions are allowed only in height, and costs of cutting the structure and doors are

Molteni & C

Doors with type "E" handle

Doors with "A FILO" handle

37-57



H 2631 H 2343 H 2439 H 2919 ---- 954/1282 ----<u>-</u> 1865 1577 761 W 954 W 1282 W 1282 W 954 W 1282 W 954 W 1282 W 954 MCE9/23F MCE13/23F MCE9/24F MCE13/24F MCE9/26F MCE13/26F MCE9/29F MCE13/29F

DATASHEET

REGISTERED DESIGN

 f^{\star} The price does not include the central partitions or side panels, nor the internal shelves.

FILLERS AND OPENING SIDE TRIMS

Horizontal filler

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below).

The distance of the filler from the door is the client's decision. In the cartapaglia finish, the grain direction is always vertical.

In the wood and graffiato finish, the grain direction is always horizontal.

Vertical filler

ceiling

min

max 302

The vertical filler can be placed flush with the structure or the door. This detail must be specified in the order to prepare the side panel (see example). If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.

Opening fillers

Can be made with START and "A FILO" door. For handles, consider surcharge. Always have the 155° hinges.

Are the same height as the other doors in the composition.

Have a closing strip on their lower part.


In the wood finish, the grain direction is always vertical.

Molteni & C

38-

57

Horizontal filler side sections




filler

door


39/45 for 3-door flush sl. doors wardrobe

Vertical filler horizontal sections


Flush with structure




Opening filler horizontal sections



Flush with door



Set back



DATASHEET

REGISTERED DESIGN

LIGHTING SYSTEM

Lighting bars with front LEDs

Internal compartments of Gliss Master wardrobes can be equipped with front LED lighting. The lighting bar can be applied to lids or to wooden, transparent glass and Eco Skin shelves, wood and glass shoe rack shelves. Using the electrified wire strip installed on the side (wood, frame or glass), the shelf can be moved. For each compartment length, we have make specific lighting bars with wiring compliant with European safety standards.

A wire strip is not needed if the compartment only has lighting on the top piece

Lighting bars can be reduced with a surcharge for the shelf cutting.

It is possible to insert one or more lighting shelves in Gliss Master compartments. Using the electrified wire strip mounted on the side panel, the lighting shelf can be moved. Lighting shelves can be connected to the wire strip on the left side panel or can be mounted without wire strip.

When placing the order, the customer must indicate how many shelves with lighting bars or lighting shelves are required. Lighting bars or lighting shelves can be placed in the same compartment. For assembly: a lighting system on wardrobe with hinged doors requires a minimum extra height of 5 cm (2").

Individual wire strip is always installed on the left side panel of the compartment, with the exception of corner units for walk-in wardrobes and of the compartment next to the corner unit.

When ordering, indicate compartments with wire strip.

The electrified wire strip is mandatory for wardrobes with wooden sides and class back.

Molteni & C

39-57


lighting bars 3000 K	W 380 3,5 watt	W 462 4 watt	W 626 5,5 watt	W 790 7 watt	W 954 8 watt	W 1282 11 watt	open corner element 12 watt	external corner unit 9 watt
							/	/
	EBI2C	EBI4C	EBI6C	EBI8C	EBI9C	EBI13C	EBA13C	EBB6C


lighting shelves D 538 th 30 3000 K

W 626 W 790 W 954 W 1282 12 watt 15 watt 18 watt 30 watt



RSL/13C





DATASHEET

REGISTERED DESIGN


LIGHTING SYSTEM


System construction diagram

A composition (wardrobe) can be equipped with more than one system and more than one power supply unit. The system with sensor must be autonomous from the system with remote controlled electrical socket.

Molteni & C

40-57





DALI kit (for DOMOTICA)

n. 1 for each power supply unit cannot be used with radio remote control

DATASHEET

REGISTERED DESIGN

IX.2021



Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

INTERNAL ACCESSORIES


Aircub is an air purifier and aroma diffuser that eliminates up to 95% of the harmful agents inside wardrobes through a process of ionisation and ozonation. Aircub can be managed easily from your smartphone with a dedicated app. Aircub can be installed on the back panel of each compartment. Just plug it into the electrical socket and turn it on. Every Aircub has a single plug.

Up to 3 Aircubs per wardrobe can be installed using the specific multi-socket connector.

Information about Aircub is available on the website https://www.check-up.it in the projects section.

Aircub - air purifier

W 270 D 28 H 120 W 10 5/8" D 1 1/8" H 4 3/4" (cable length L3m)



product advantages

- improves air quality
- reduces bacteria that cause foul odours
- prevents mould and mites from forming
- dispenses fragrance does not have filters that require maintenance or changes
- includes n.1 fragrance pod Scented wafers can be ordered online: https://shop.check-up.it/

Molteni & C


41-

57


multi-socket connector

cable length 3m W 250 D 60 H 40 W 9 7/8" D 2 3/8" H 1 5/8"









DATASHEET

REGISTERED DESIGN


INTERNAL FITTINGS

Internal fittings with wooden sides Internal fittings

Molteni & C

42-

57



- Shelf th 30 mm (wood, glass, Eco Skin)
- Clothes rail
- Modular drawer unit only for wooden sides and backs
- 4 Trouser holder
- Central divider piece th mm 30 only for compart. with wooden sides and backs
- 6 Swivel pull-out mirror only for compart. with wooden sides and backs
- 7 Shirt and sweater holder grid only for wood sides and backs
- 8A Inclined shoe rack shelf only for wooden sides and backs
- ${\bf 8B}$ Horizontal shoe rack shelf only for frame sides, glass sides or glass back
- Pull-out shirt holder only for wooden sides and backs

with frame or glass sides



1


8B


10

11

11 Suspended drawer unit only for compart. with frame or glass sides

Section of internal fittings





DATASHEET


REGISTERED DESIGN

Molteni & C

43-

57

INTERNAL FITTINGS - SHELVES, SHOE RACK SHELVES




Shoe rack shelves

Shoe rack shelves can be used with wood sides and with frame or glass sides.
When inserted between wood sides, this part will always be inclined (example 1).
When there are frame or glass sides, this part will always be horizontal (example 2).

Notes

To hook to the frame or glass sides, add the price of the relative metal profiles.



DATASHEET

REGISTERED DESIGN

Molteni & C

44-

57

INTERNAL FITTINGS - CLOTHES RAILS, HANGER RAILS, PULL-DOWN HANGERS, CENTRAL DIVIDER PIECES

clothes rails clothes rail for corner compartment with doors for external W 298 W 380 W 462 W 626 corner unit W 790 W 954 W 1282 P0/3 P0/4 P0/6 POB/6 P0/8 P0/9 P0/13 POA/6 clothes rail clothes rails for D 435 for open corner to mount on wood shelves or compartment top only with hinged doors nr. 1 piece on compartment W 626/790 nr. 2 pieces on compartment W 954/1282 W 543 W 1081 W 723 P0Q/4 W 1262 POA/5 POA/7 POA/11 POA/13 hanger with clips W 450 pull-out coat hanger rail hanger for melamine shelf (without profile) th 30 W 450 beech stained grey beech stained grey (package of 10 pieces) (package of 3 pieces) time production 0P10 0P7 Maximum pull-down hanger load-bearing capacity H mm 1040 for compart. W 626 for compart. W 790 for compart. W 954 for compart. W 1282 10 kg SER/6 SER/8 SER/9 SER/13 When ordering, specify the finish of the front profile: floor standing central divider pieces D 538 th 30 1542 pewter colour or bronze 1350 1158 582 SDT/04 SDT/05 SDT/07 SDT/09 SDT/11 SDT/13 SDT/15 SDT/17

DATASHEET

REGISTERED DESIGN

GLASS LID FOR CHEST OF DRAWERS

To be used only in compartments with wooden sides

Modular chests of drawers can be made with a transparent glass lid in the module widths

It is mandatory that the first drawer be H 190 in wood (special measure).

Drawer dividers cannot be inserted in the first drawer.

The top can be fitted with a LED lighting bar, but it cannot be connected to the cable holder.

The connection to the power cord has to pass behind the back panel.

Eco Skin bottoms in grey can be inserted.

Molteni & C

W 790


CSV/08

W 954 CSV/09 W 1282 CSV/13

45-

57

Example of use



canvas-covered boxes with Molteni logo

W 500 D 400 H 150 (package of 2 pieces)

W 500 D 400 H 300 (package of 2 pieces)



DATASHEET

REGISTERED DESIGN

INTERNAL FITTINGS - MOVABLE TRAYS SET

Only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the unit (see ex. 1).

The price of the blocks does not include the shelf covering the drawer unit.

Finishes


The trays are always made in melamine in the finish of the structure with bottom in grey ${\sf Eco}$ Skin.


The trinket tray is always dolomite lacquered.


example 1

Molteni & C

46—







The price of the blocks does not include the shelf covering the drawer unit

for compartment W 954 for compartment W 1282

BVS9/03/1

BVS13/03/1

DATASHEET

REGISTERED DESIGN

INTERNAL FITTINGS - PULL-OUT SHIRT HOLDER - GRID WITH SHIRT AND SWEATER HOLDERS

Pull-out shirt holder

only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the shirt unit (see ex. 1).

Notes

Do not use for compartments with glass back.


Finishes


The tray set on top of the shelf is always finished in melamine in the same finish as the structure with Eco Skin bottom grey finish.

The shirt holder grid is always dolomite lacquered.


Molteni & C

47—





When ordering, specify the finishes of the trays set on shelves and the shirt holder grid for compartment W 954 including resting shelf for compartment W 1282 including resting shelf





Grid with shirt and sweater holders

These elements are fixed and to be used set on shelves or on drawer units. Only in compartments with wood sides.


Grid with shirt and sweater


90 600 90 294 294 8GR6/05/1

W 626 D 378 H 480




W 790 D 378 H 480





Examples of use




DATASHEET

REGISTERED DESIGN


INTERNAL FITTINGS - MIRRORS

Procedure for using the swivel pull-out mirror



Molteni & C





48-57

DATASHEET

REGISTERED DESIGN

CAVE handle

Internal fittings - modular drawers and trays

Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways.

When ordering, specify the handle finish as pewter colour or bronze.

For the CAVE handle covered in Eco Skin, add a supplementary charge each.

No reductions of any kind can be made on drawers, trays and pairs of side panels.

Warnings on using compartments adjacent to the corner element

It is impossible to use trouser or trinket trays (used individually).

Wooden drawer finishes

melamine front in structure finish and piqué melamine

drawer inside in grey saffiano melamine

Open drawer finishes

melamine front in structure finish and piqué melamine inside in grey saffiano melamine

Molteni & C

Items available

49-

57




Upper handle










Open drawers only lower handle



126






Lower handle







DATASHEET

REGISTERED DESIGN

CAVE handle

Trouser holder / laundry sack tray finishes

melamine front in structure finish or piqué melamine inner frame in grey saffiano melamine with trouser holder in grey saffiano embossed laundry sack in natural cotton in the colour ecru

Trinket tray finishes

melamine front in structure finish or piqué melamine inner frame, bottom and grid in grey saffiano melamine


Pull-out trays finishes

melamine front in structure finish or piqué melamine with shelf and back in grey saffiano melamine

Molteni & C


Trouser holder only upper handle

50—




N.B.: usable only with suspended side panels as the bottom piece


Trinket trays (tie and belt) with internal grid only upper handle





internal tray dividers






Pull-out trays only lower handle



Tray laundry sack only upper handle



DATASHEET

REGISTERED DESIGN

HOLD handle

Internal fittings - modular drawers and trays

Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways.

The pairs of side panels suspended or resting on the floor are essential for inserting all the elements.

Compositions must be completed with a top shelf.
When ordering, specify the handle finish as pewter colour or bronze.

No reductions of any kind can be made on drawers, trays and pairs of side panels.

Warnings on using compartments adjacent to the corner element

It is impossible to use trouser or trinket trays (used individually).

Wooden drawer finishes

melamine front in structure finish and piqué melamine fine grain finish front with pewter colour or bronze profile

drawer inside in grey saffiano melamine

Glass drawer finishes

transparent glass front with pewter colour or bronze frame inside in grey saffiano melamine

Open drawer finishes

melamine front in structure finish and piqué melamine inside in grey saffiano melamine

Molteni & C

Items available

51-57

Wooden drawers (melamine or fine grain) Glass drawers

Open drawers

HOLD handle (pewter colour or bronze finish)
















H 416 - 580 - 716 - 880 - 1208 H 16 3/8-22 7/8" - 28 1/4" - 34 5/8" - 47 1/2"

DATASHEET

REGISTERED DESIGN

HOLD handle

Trouser holder / laundry sack tray finishes


melamine front in the same finish as the structure, piqué melamine or fine grain with pewter colour or bronze profile inner frame in grey saffiano melamine with trouser holder in grey saffiano embossed laundry sack in natural cotton in the colour ecru

Trinket tray finishes

melamine front in the same finish as the structure, piqué melamine or fine grain with pewter colour or bronze profile inner frame, bottom and grid in grey saffiano melamine

Pull-out trays finishes


melamine front in structure finish or piqué melamine with shelf and back in grey saffiano melamine



Molteni & C

52—

Trouser holder




N.B.: usable only with suspended side panels as the bottom piece


Trinket trays (tie and belt) with internal grid





internal tray dividers






Pull-out trays



Tray laundry sack



DATASHEET


REGISTERED DESIGN

EXAMPLES OF COMPOSITE DRAWER UNITS WITH CAVE HANDLE

Melamine faced drawers have upper and lower handles. Trouser holder and trinket trays always have an upper handle; pull-out trays and open drawers always have a lower handle.

Trouser holders/trinket trays/laundry sack tray

Molteni & C




53-


57



Pull-out trays



Open drawers



DATASHEET

REGISTERED DESIGN

INTERNAL FIITINGS - ACCESSORIES FOR DRAWERS

Leather trays

Handmade leather trays with Alcantara bottom. The version for men is brown (cat. P col. D533), The version for women is powder pink (cat. P col. D524)

Eco Skin bottoms

Made with grey coloured Eco Skin.

Molteni & C

54-57

leather trays men's drawers W 206 D 430 H 58 (A) W 206 D 215 H 58 (B)


> watch holder (A)

watch/ bracelet holder (A)

jewellery holder with movable dividers

CEV/MB1

complete men's drawer offer



CVM1

leather trays women's drawers

W 206 D 430 H 58 (A) W 206 D 215 H 58 (B)

watch/ bracelet holder (A)

CEV/MA2

jewellery holder with movable dividers (B)

ring holder (B)

earring holder (B)

complete women's drawer offer



CEV/MA1

watch holder

(A)


CEV/WB1

CEV/WB2

CEV/WB3


Modularity drawings for inserting trays into drawers

drawer W 416




-834

drawer W 580




drawer W 716




CVW1

drawer W 880



drawer W 1208



Eco Skin bottoms

D 432/473 special for 1st drawer with glass lid

W 366 W 530 CEQ/F4 CEQ/F6

for drawers

W 666 CEQ/F8 W 830 CEQ/F9 W 1158 CEQ/F13

DATASHEET

REGISTERED DESIGN

ISLAND DRAWER UNIT

Two versions are available: with or without trinket trays in dolomite lacquer. Shelves in Eco Skin are available in colours in the catalogue. Standard handles are mounted in pewter colour or bronze finish.

For the CAVE handle covered in Eco Skin, add a supplementary charge each.

- version with trinket trays
 Side A has 6 drawers H 190 and 2 extractable trinket tray blocks.
- Side B has 4 drawers H 190 and and lower open compartments.

version without trinket trays

- Side A has 6 drawers H 190 and upper open compartment.
 Side B has 4 drawers H 190 and and lower open compartments.

Dimensions of the island cannot be reduced, and the compositon

Only for HOLD handle


It is possible to substitute the melamine drawers with glass drawers by adding the difference in price from **CLN8/19** and **CVN8/19**.


It is possible to substitute the melamine drawers with drawers with fine grain fronts by adding the difference in price of the finishes of the code CLN8/19.

Molteni & C

55-57


island drawer unit with trinket trays W 1518 D 1022 H 897 W 59 3/4" D 40 1/4" H 35 3/8"






island drawer unit without trinket trays W 1518 D 1022 H 897

W 59 3/4" D 40 1/4" H 35 3/8"





Drawer unit

Standard handles are mounted, in pewter colour finish.

drawer unit

W 1292 D 527 H 897 W 50 7/8" D 20 3/4" H 35 3/8"



DATASHEET

REGISTERED DESIGN

ISLAND WITH GLASS TOP

Island with glass top

Island finishes

silver cembran larix dark light chestnut dark chestnut matt lacquer colours in the Molteni colour range

Handles / top profile finishes

pewter colour bronze

Molteni & C

56-

57

No reductions of any kind are possible

For the CAVE handle covered in Eco Skin, add a supplementary charge each.

island with glass top W 1272 D 1022 H 864


Notes

The divider grids are specific for upper drawers.

If dividers are desired in the other drawers,


use those shown on pages 135/138 of the price list.

W 50 1/8" D 40 1/4" H 34"





island with glass top W 1498 D 1022 H 864 W 59" D 40 1/4" H 34"





accessories for upper drawer

partition grid grey saffiano W 666 D 443 W 26 1/4" D 17 1/2"

W 1158 D 443 W 45 5/8" D 17 1/2"

Eco Skin bottom

grey W 666 D 443 W 26 1/4" D 17 1/2"

W 1158 D 443 W 45 5/8" D 17 1/2"



'28 CEGD/33





DATASHEET

REGISTERED DESIGN

ISLAND WITH TRANSPARENT GLASS DOORS

Island that can be created with structure in transparent glass and horizontal parts in wood. Shelves are in wood except for those indicated (*) which are always in glass.

The island cannot be reduced or modified with respect to the versions in the price list.

Structure finish

pewter colour bronze

Base unit / top / shelf finishes


eucalyptus graphite oak


H 880 - 34 5/8" with top D 1000 - 39 3/8" W 1673 - 65 7/8"

W 2001 - 78 3/4"

Molteni & C

57—





without LEDs with LEDs

The island is available with or without LED lighting applied on all shelves and tops as shown. The system includes the cable holders and power supply units that enable it to work with a remote control.

glass shelves

wood shelves

DATASHEET

REGISTERED DESIGN